



# **VALVES**

FLOW MANAGEMENT SOLUTIONS Division

Standard Service | Critical Applications | High Quality VALVES



#### **DIN/EN Casted valves** -

- Type: Gate, Globe, Check, Butterfly, Ball, Bellow, Self regulated valves, (+).
- Sizes: From DN15 to DN1200.
- Pressure: From PN10 to PN64.
- Ends: Flanged, welded, threaded, wafer, lug, etc.
- Materials: Cast iron, stainless steel, brass, (+).
- Optional: Soft sealing valves (EPDM, NBR, etc.).
- Applications: Water treatment and filtration, power generation, industry, marine, energy, etc.



#### **ANSI Casted valves** –

- Type: Gate, Globe, Check, Butterfly, Ball, Bellow (+).
- Sizes: From ½" to 72".
- Class: From 150# to 2.500#.
- Ends: Flanged, welded and threaded.
- Materials: Carbon steel, stainless steel, alloy steel, (+).
- Applications: Chemical, petro-chemical, refining, oil & gas, water, power generation, marine, etc.



## Forged valves -

- Type: Gate, Globe and Check, Bellow.
- Sizes: From ¼" to 8".
- Class: From 800# to 4.500#.
- **Construction:** ASME B16.34, BS 5352, API 602.
- Ends: Flanged, socket weld, butt weld, threaded.
- Materials: Carbon steel, stainless steel, alloy steel, (+).
- **Special options:** Fully welded, extended body, extended bonnet, (+).
- Applications: Petroleum refining and production, offshore, oil & gas, power industry, fertilizer, chemical and desalination, etc.



## **Butterfly valves** —

- Types: Centred and single offset.
- Sizes: From 1 ¼" to 138". from DN32 to DN3000.
  - Class: From 150# to 300#.
- from PN6 to PN100. **Ends:** Wafer, lug, flanged.
- Materials: Carbon steel, stainless steel and other alloys, (+).





## **High Performance Butterfly valves**

- Types: Double and triple eccentricity.
- Sizes: From 2" to 160". from DN50 to DN2000.
- Class: From 150# to 2.500#. from PN10 to PN200.
- Construction: Metal to metal closure, zero leakage, fire safe.
- Ends: Wafer, lug, flanged and welded, (+).
- Materials: Carbon steel, stainless steel, alloy steel, duplex, inconel, hastelloy, etc.



#### **Trunnion Mounted Ball valves**

- Type: Side entry and Top entry.
- Sizes: From 1" to 60". from DN50 to DN200.
- Class: From 150# to 2.500#. from PN6 to PN400.
- Construction: ASME B16.34, API 6D, ISO 17292; soft and metal to metal seats; casted and forged body.
- Ends: Flanged, welded, (+).
- Materials: Carbon steel, stainless steel, alloy steel, bronze, duplex, superduplex, etc.



## **Floating Ball valves**

- Sizes: From ½" to 8". from DN15 to DN300.
- Class: From 150# to 600#. from PN16 to PN40.
- Construction: ASME B16.34, API 6D, API 608, BS 5351; soft and metal-to-metal seats; forged and casted body.
- Ends: Flanged, welded and threaded.
- Materials: Carbon steel, stainless steel, alloy steel, bronze, brass, duplex, superduplex, etc.



## **Knife Gate valves**

- Sizes: From 2" to 36". from DN50 DN1200.
- Pressure: From 150# to 900# from PN6 to PN100
- Closure: Soft and metal to metal.
- Ends: EN 1092, ANSI B16.5, (+).
- Materials: Cast iron, carbon steel, stainless steel, (+).
- Applications: Water treatment services, mining, solid particles services, paper industry and other industrial processes.



### **Dual Plate Check valves**

- Sizes: From 2" to 80".
  - from DN40 to DN1200.
- Class: From 150# to 2.500#. from PN10 to PN250.
  - **Construction:** Soft seat and metal to metal seat, casted and forged body.
- Ends: Wafer, lug, hub, flanged and welded.
- Materials: Carbon steel, stainless steel, cast iron, (+).





#### **Nozzle Check valves-**

• Sizes: From 1" to 88".

from DN25 to DN2200.

• Class: From 150# to 2.500#. from PN16 to PN400.

Ends: Wafer, lug, hub, flanged, welded and threaded.

 Construction: Non-slam, soft and metal to metal seats, fire safe, forged and casted body.

Materials: Carbon steel, stainless steel, cast iron, (+).



## Safety / Pressure Relief valves -

Sizes: From ½" to 20".

from DN15 to DN500.

• Class: From 150# to 2.500#. from PN16 to PN200.

• Ends: Flanged, welded, threaded.

Construction: Forged and casted body.

• Materials: Carbon steel, stainless steel, cast iron, (+).

Applications: Steam, gases, vapours and liquids. Cryogenic services.

Options: Open bonnet, soft seat, bellow, lifting device, sealed packing lever, etc.



### Plug valves -

Type: Lubricated and non-lubricated plug valves.

• Sizes: From ½" to 36". from DN15 to DN500.

 Class: From 150# to 2.500#. from PN16 to PN40.

Ends: Flanged, welded and threaded.

 Materials: Carbon steel, stainless steel, alloy steel, cast iron and other alloys, duplex, superduplex, (+).





## Double block & bleed (DBB) plug valves -

Type: Double expanding plug valve.

Sizes: From 2" to 36".

• Class: From 150# to 600#.

Construction: Full or reduced bore, fire safe. It allows in-line maintenance.

Zero leakage.

• Ends: Flanged.

• Materials: Carbon steel and alloy steel, (+).

 This valve has emerged as the industry standard for movement and storage of petroleum products in refineries, tank farms and terminals.



## **Diaphragm valves**

• Size: From 1/4" to 12"

from DN 15 to DN 300.

Pressure: max. permissible pressure16 bar.

• **Temperature:** max. permissible temperature160°C.

• Ends: Flanges, welded BW and SW, the screwed.

• Materials: Cast Iron and Ductile Iron, Stainless Steel, Bronze, (+).

• Lining: Ebonite, Butyl, PTFE/TFM, Polyamide, Halar(ECTFE)

Diaphragm: EPDM, Nitrile, Butyl, TFM, CSM(Viton)

 Applications: Chemical Industry, mining, water treatments, Paper and cellulose industry, Sugar Industry, Acids and Alkaline Fluids, Chlorine Processes, etc.





#### Pinch valves

- Sizes: From 2" to 20". from DN50 to DN500.
- Pressure: From 10 Bar to 200 Bar.
- Construction: ASTM A536 60-40-18, BS2789 420-12, SABS936 SG42, DIN1693 GGG40, Open and close frame.
- Temperature: Up to 120°C.
- Operation: Hand wheel, gearbox and actuator (electric, pneumatic or hydraulic).
- Applications: These valves are designed to handle abrasive and corrosive fluids, in high and low pressure, such us minerals, ash, pulp, chemical products, etc.



#### **Control valves -**

- Type: Globe control valve, (+).
- Sizes: From ½" to 42".

from DN15 to DN400.

- Class: From 150# to 4.500#. from PN16 to PN200.
- Construction: Casted and forged body.
- Materials: Carbon steel, stainless steel, alloy steel, cast iron, duplex, special alloys, (+).



#### On-Off valves -

- Type: Ball, Gate, Globe, Butterfly, Plug, Knife, ...
- Sizes: From ½" to 80".

from DN15 to DN2000.

- Class: From 150# to 4.500#. from PN16 to PN200.
- Construction: Casted and forged body.
- Actuators: Multiturn and quarter turn electric actuators, pneumatic actuators (rack & pinion, scotch yoke), hydraulic actuators, gas over oil actuators.
- Extras: Additional equipments can be supplied as actuator passive fire protection, local control panel, air tank and so on.
- Materials: Carbon steel, stainless steel, alloy steel, cast iron, duplex, superduplex, exotic alloys, (+).




#### **Lined valves** —

- Types: Ball, Plug, Check, Butterfly.
- Sizes: From ½" to 12".

from DN10 to DN500.

- Class: From 150# to 300#. from PN16 to PN25.
- Construction: Internally lined valves with PFA, FEP, PP, PTFE, etc. Internal line can cover all wetted parts of the valve.
- Advantages: Lower operating torques, zero leakage, corrosion resistance, prevention of fluid contamination.
- Applications: Paper, cosmetics, pharmaceutical, chemical industries, etc.





#### **Bronze and Brass valves**

- Type: Ball, Gate, Globe, Check, Butterfly, Plug, Needle, Filters....
- Sizes: From ½" to 24".
  from DN8 to DN600.
- Class: From 150# to 300#. from PN10 to PN40.
- Ends: Flanged, threaded, wafer, lug, welded.
- Applications: Water distribution, cooling and heating, wastewater, sanitary, compressed air, etc.



## Thermoplastic valves

- Type: Ball, Diaphragm, Butterfly, Check, Vent and Bleed, Pressure regulation, Filters, Angle valves, etc.
- Sizes: From DN10 to DN300.
- Class: From PN8 to PN16.
- Ends: Flanged, welded, threaded, lug, wafer.
- Materials: PVC, polypropylene, ABS, PVDF, etc.
- Applications: Water works and sea water, industry, chemical processes, mining, gas distribution, etc.



#### **Pressure Seal valves** -

- Type: Gate, Globe and Check.
- Sizes: From 2" to 48".
- Class: From 900# to 2.500#.
- **Design:** ASME B16.34, EN 12516, etc.
- Ends: Flanged and butt weld.
- Materials: Carbon steel, stainless steel, alloy steel, duplex, super duplex, exotic alloys, (+).
- Recommended for high pressure applications.





## **Valves for HF Alkylation –**

- Type: Gate, Globe and Check.
- Sizes: From ½" to 36".
- Class: From 150# to 800#.
- **Construction:** API 600 and 602, fire safe design, low emissions according to API 622 and ISO 15848, acid detecting paint.
- Materials: Carbon steel and monel, forged and casted.



## **Instrumentation valves and Manifolds** -

- Type: Ball, Needle, Relief, Check, Plug, Manifolds, etc.
- Sizes: From 1/8" to 2".
- Pressure: From 1000 psi to 60.000 psi.
- Ends: Threaded, flanged, quick connections, welded.
- Materials: Stainless steel.



## **Cryogenic valves**

- Type: Ball, Gate, Globe, Check, Butterfly, Control, etc.
- Size: From 1" to 48". from DN15 to DN500.

- Class: From 150# to 900#. from PN16 to PN40.
- Temperature: From -196°C to +200°C
- **Ends:** Flanged, welded, (+).
- Materials: Stainless steel, (+).
- Applications: Very low temperature services, cryogenic, LNG, etc.



## OTHER PRODUCTS OF

#### **FLOW MANAGEMENT SOLUTIONS Division**

# **Filters & Filtration Products –** Cartridge/Bag **Basket** Membrane Self-clean Other - Sand Filters - Centrifugal separators - Hydraulics **Dust** Air treatment treatment Oil mist **Other** - Pneumatics separators - Gas transfer

For further information see our catalogue of filters.



Calle Camino del Olivar, 2 (Esquina Calle México) 28806 Alcalá de Henares, Madrid (SPAIN) Tel: (+34) 91 887 87 00 - Fax: (+34) 91 887 87 33 info@grupocunado.com - www.grupocunado.com

#### **SPAIN**

ANDALUCIA: SEVILLA & ALGECIRAS (+34) 955.63.06.12 - andalucia@grupocunado.com

ARAGON: ZARAGOZA (+34) 976.18.52.58 - aragon@grupocunado.com CANARIAS: LAS PALMAS (+34) 928.70.05.00 - canarias@cunado.com

CASTILLA LA MANCHA: PUERTOLLANO (+34) 926.46.00.55 - clm@cunado.com

CASTILLA Y LEON: ventascastillaleon@cunado.com

CATALUÑA: BARCELONA, GERONA & TARRAGONA (+34) 93.575.24.24 - cataluna@grupocunado.com

GALICIA: VIGO (+34) 986.34.26.06 - galicia@cunado.com

LEVANTE: VALENCIA & CARTAGENA (+34) 96.181.92.00 - levante@grupocunado.com

MADRID: (+34) 91.887.87.00 - madrid@grupocunado.com

NORTE: BILBAO & GIJON (+34) 94.453.31.54 - norte@grupocunado.com

#### **INTERNATIONAL**

CTA, LDA. (PORTUGAL): (+351) 217.995.280 - info@cta.pt CUINTER (CHILE): (+56) 2.2787.0300 - mail@cunado.cl CUÑADO ABU DHABI: info.abudhabi@grupocunado.com

CUÑADO ASIA CORPORATION (CHINA): (+86) 21.2024.8130 - info@cunadoasia.com

CUÑADO SINGAPUR: info@grupocunado.com

CUÑADO BOLIVIA: (+591) 3.3110683 - bolivia@grupocunado.com

CUÑADO CANADA: info.canada@grupocunado.com

CUÑADO COLOMBIA: (+51) 320.532.2498 - info.colombia@grupocunado.com

CUÑADO DUBAI (UAE): info.dubai@grupocunado.com CUÑADO FRANCE: info.france@grupocunado.com

**CUÑADO MEXICO:** (+52) 55.5254.04.05 - cumex@prodigy.net.mx

CUÑADO THAILAND: (+66) 909 206 134 - stephane.trabbia@grupocunado.com CUPERSA (PERU): (+511) 416 62 00 Anexo 101 - info@grupocunado.pe

CUÑADO CENTRAL EUROPE (GERMANY): (+49) 7254 9271 0 - info@flaboform.de

CUÑADO POLAND: (+48) 32 32913 68 - info@flaboform.pl

CUÑADO CZECH REP.: info@flaboform.cz

ITF, INC. (USA): (+1) 713.952.4111 - itfinc@cunadousa.com

OMEGA INDUSTRIAL (USA): (+1) 225.749.9808 - info@omega-industrial.com RAGENSA (PERU): (+511) 416 62 00 Anexo 101 - info@grupocunado.pe

